



THE BERGO MARINE TILE type EXCELLENCE

- The tile that revolutionized marine flooring


Flooring is an entire science.

When evaluating a deck covering for a vessel, one has to consider factors such as:

- Installation
- Appearance
- Maintenance
- Sound absorbance
- Cleaning
- Removal

THE BERGO MARINE TILE meets all these requirements and the flooring system needs no fastening.


For your ultimate deck covering
- choose **THE BERGO MARINE TILE**
type **EXCELLENCE**



Installation on board ZI YU LAN and YU JIN XIAN



Installation on board NORWEGIAN SKY



Installation on board KONG HAROLD, HURTIGRUTEN




GRAND PRINCESS

THE BERGO MARINE TILE has excellent drainage capacity, due to the tiles perforated surface and the underneath design. The flooring is easy to install, NO fastening, adhesives or special tools are needed. The sub floor does not have to be perfectly level and the tiles lie securely fixed on top of the steel decking. The flooring system is tough and takes wear and tear, without losing its attractive appearance. In case a major cleaning job is required, the floor can easily be removed by using a specially designed tool.



Balcony installation on board GRAND PRINCESS, P & O



Installations on balconies onboard cruise vessels have increased dramatically. The reason is usually that the automatic window washers leaves water on deck. With **THE BERGO MARINE TILES** the water lies underneath the tiles, which means that you have a dry attractive appearance and the passengers will not bring in dirt onto the cabin carpets.

In this way you will save time cleaning in cabins as well as reduced costs, because carpets need to be replaced less frequently.

Installations with BERGO MARINE TILES type EXCELLENCE:



NORWEGIAN SKY

THE BERGO MARINE TILE

has sound absorbing characteristics. The tile absorbs sound and it is not essential for the sub floor to be perfectly level prior to installation.



NORWEGIAN SKY



SCHLESWIG HOLSTEIN



MAJESTIC



THE BERGO MARINE TILE has excellent drainage capacity, due to the tiles perforated surface and the underneath design.




Easy to install, NO fastening, adhesives or special tools are needed. The tiles lie on top of the subfloor.




The flooring system is tough and takes wear and tear, without losing its attractive appearance.



In case a major cleaning or repair job is required, the floor can easily be removed by using a specially designed tool.




THE BERGO MARINE TILES with Expansiontiles in the middle. The Expansiontiles prevents the floor from expansion in varying temperatures.



Bergo Tiles in dynamic colours. Note the accessories for excellent finishing with Edges and a Corner piece.

TECHNICAL INFORMATION

- Material:** Environmentally friendly recyclable UV-stabilized polypropylene.  PP
- Format:** 300 x 300 x 14 mm, can be delivered in pre-assembled sheets of 1,2 x 0,9 meters.
- Packaging:** 81 sqm = 75 pcs of sheets per pallet = 335 kg
4,5 sqm = 50 pcs per carton = 19 kg
- Standard Colours:** Green, dark-blue, light-blue and silver-grey.
- Types:** Anti-slip surface, A = smooth surface or B = surface with "knobs".
- Accessories:** Edging 300 x 55 mm, Expansiontile 300 x 75 mm and Corner tile 55 x 55 mm.

Distributed by: